


Mr. Hanley's Java Cookbook

Version 21.1-2/6/2022

Section	Page #
<u>Section I: Numeric Section</u>	1
<u>Section II: Console Section</u>	5
<u>Section III: Swing Section</u>	14
<u>Section IV: Painting</u>	23
<u>Section V: Sound Files</u>	25



Hmm, I wonder what interesting stuff you are going to make using the cookbook. Send me a neat tip or trick and you too can be listed as one of the helpful students who has added to our shared knowledge of the amazing java language!!!! See you around the hood!!!!

Purpose	Command	Example
Section I: Numeric Section		
Generate pseudo random numbers	Random	<pre> import java.util.Random; //If using the console..... public class YourClassName { static Random r = new Random(); //one time outside of all methods public static void main(String[] args) { int x = r.nextInt(5); //Gives numbers from 0-4 System.out.println("x = " + x); } } //If using a Swing Application... public class YourClassFrame { Random r = new Random(); //one time outside of all methods private void cancelBUTActionPerformed(java.awt.event.ActionEvent evt) { x = r.nextInt(100)+1; //assumes x is a global variable ..goes from 1-100 } } </pre>

TOP ↑

<p>Converting a string into a floating point value (double)</p>	<p>Double. parseDouble Integer. parseInt</p>	<pre>String str1 = "1337"; //set up a string that has a number in it double x; //From String str1 To double x //Note: If the value of str1 is null (if there is no string), trim() will throw a //NullPointerException. If you don't use trim(), make sure //there's no trailing white space. For JDK 1.2.x or better: try { x = Double.parseDouble(str1.trim()); } catch (NumberFormatException e) { System.out.println("There was a problem formatting the string, bye"); } //When this command is done, x has the value 1337, if str1 contained //other types of characters like \$>#@jkaBN, then the parseDouble command //would have thrown an exception int y = Integer.parseInt(temp); //also works for ints</pre>
---	--	--

<p>Formatting numbers with specific requirements</p>	<p>Decimal Format</p>	<pre>import java.text.DecimalFormat; double total = <some number you have found> String displayTot; //This string will hold the result of our formatting DecimalFormat numFormat1 = new java.text.DecimalFormat("###,##0.00"); //NOTE: # will suppress leading 0's, 0 forces a number there and the decimal anchors where the decimal will go displayTot = numFormat1.format(total); //Scientific notation (JDK 1.2.x on up): double sciCalc = <some number you have found> DecimalFormat scienceFormat = new DecimalFormat("0.000000000E00"); String displaySci; displaySci = scienceFormat.format(sciCalc);</pre>
--	---------------------------	---

TOP ↑

Using math constants	Math.	<pre>//no imports necessary when using Math double radius = 2.5; double circum = Math.PI*2*radius;</pre>
Using math methods	Math.	<pre>//no imports necessary when using Math System.out.println(Math.pow(2,5)); //prints 2 to the 5th power //Figure out the square root of a number double in; in = 5.6; double squareRoot = Math.sqrt(in);</pre>
Rounding off a float or a double(props Warren Brodt, Haverford High School, 1984)	An old trick taught to me by Mr. Brodt from Haverford High School	<pre>//Let's truncate the number after moving it over a certain # of spaces //let's say the variable to round off is called cost double cost = <some calculation>; cost = cost *100; //move the decimal over 2 places cost = (int) (cost + .5); //add .5 and then chop off decimal cost = cost /100; //move the decimal place back //This trick also works for rounding off to thousandths, etc. //just change the 100 to a 1000 in both places</pre>
Get the current date and time and format for printing	Date and DateFormat	<pre>import java.util.Date; import java.text.DateFormat; public static void menu() { Date now = new Date(); String display = DateFormat.getDateTimeInstance(DateFormat.FULL, DateFormat.FULL).format(now); }</pre>

TOP↑

Section II: Console Section

Reading in data from the keyboard in a console application

Scanner

```
//NOTE: This requires JDK 1.5 (Wow, does this sound old in 2017 or WHAT?? LOL  
import java.util.Scanner;  
  
public class ConsoleDemol {  
  public static void main(String[] args) {  
    Scanner input = new Scanner(System.in); //do this once to be able to read in data  
    int x;  
    double y;  
    String name;  
    System.out.println("Please enter your name:");  
    name = input.next(); //Reads in a string from the keyboard with no spaces  
    System.out.println("Please enter a whole number");  
    x = input.nextInt();  
    System.out.println("Please enter a decimal number:");  
    y = input.nextDouble();  
  }  
}  
import java.util.Scanner;  
public class ConsoleDemo2 {  
  //To read in a value without spaces followed by a value with spaces  
  public static void main(String[] args) {  
    Scanner input = new Scanner(System.in); //do this once to be able to read in data  
    int x;  
    x = input.nextInt(); //read an int  
    //Must skip the newline in order to read data with spaces next  
    input.skip("\n");  
    String phrase;  
    phrase = input.nextLine();  
  }  
}
```

TOP↑

Displaying information in a table(Props to Andy Ouyang, 2016)

System.out.form
at

```
//This is a useful command when you want to make sure that a table of numbers lines up
//Example, you are generating a table of values and the numbers vary so a tab might
//Not work if the numbers differ too much (USE A MONOSPACED FONT)
//Desired
//   Description                Quantity      Cost      Item Total
//   -----                -
//   2 X4X8 Dimension           30          2.63        78.90
//   2 X6X8 Dimension          1000         4.52       4520.00
public class DemoFormat {
    public static void main(String[] args) {
        //Desired
        // Description      Quantity      Cost      Item Total
        // 2 X4X8 Dimension    30      2.63      78.90
        // 2 X6X8 Dimension   1000    4.52    4,520.00
        String[] descriptions = {"2 X 4 X 8 Dimension", "2 X 6 X 8 Dimension"};
        int quantities[] = {30,1000};
        double costs[] = {2.63,4.52};

        //Set up Headings
        //All are Strings, so the HEADINGS will use %s for ALL
        System.out.format("%-30s%8s%6s%15s%n", "Description", "Quantity", "Cost",
            "Item Total");
        System.out.format("%-30s%8s%6s%15s%n", "-----", "-----", "----",
            "---- -----");

        //Loop through all the items
        double itemTotal=0; //used to figure out totals for each item
        for (int i=0; i<descriptions.length; i++){
            itemTotal = quantities[i] * costs[i];
            //round off to nearest penny
            itemTotal *= 100;
            itemTotal = itemTotal + .5;
            itemTotal /= 100;
            System.out.format("%-30s%8d%6.2f%,15.2f%n",
                descriptions[i],quantities[i],costs[i],itemTotal);
        }

        //%-30s means
```



```

/src
build.xml
manifest.mf
test1.txt //put your input file here
out1.txt //your application will create a file here

public class ChangeForTwenty {
    public static void main(String[] args) {
        String inFileName = "in.txt", outFileName = "out.txt";
        System.out.println("Redirecting input -> " + inFileName);
        System.out.println("Redirecting output -> " + outFileName);
        //Redirect the input
        try {
            System.setIn(new FileInputStream(new File(inFileName)));
        } catch (FileNotFoundException e) {
            System.out.println("File Problem " + e);
        }
        //Redirecting console output to file (System.out.println)
        try {
            //Prepare the output file
            PrintStream fileStream = new PrintStream(new FileOutputStream(outFileName,
                false));
            System.setOut(fileStream);
        } catch (IOException e) { }
        //Read the data
        Scanner input = new Scanner(System.in);
        //loops all data in file
        while (input.hasNext()) {
            double charge = input.nextDouble();
            double change = 20 - charge;
            //etc
        }
    }
}
SEPARATE FILE: in.txt, must be in the main folder of the project NOT THE src or build
directories

```


Printing out control characters to the console

System.out.print and System.out.println

```
System.out.print("This will be on one line\nthis on another");  
  
System.out.println("\t\t\tThis will be after 3 tabs");  
  
System.out.println("Here's how to print out a double quote\" OK?");  
  
System.out.println("Here's how to print a back slash \\ OK?");
```

How to set the stack size in NetBeans (Props to Chris Vinciguerra 2020)

-Xss8G

Project Properties - Assignment 15 - Recursion Practice

Categories:

- Sources
- Libraries
- Build
 - Compiling
 - Packaging
 - Deployment
 - Documenting
- Run
- Application
 - Web Start
- License Headers
- Formatting
- Hints

Configuration: <default config> [New... Delete]

Runtime Platform: Project Platform [Manage Platforms...]

Main Class: RecursionClient [Browse...]

Arguments: []

Working Directory: [] [Browse...]

VM Options: -Xss8G [Customize...]

(e.g. -Xms10m)

Run with Java Web Start
(To run and debug the application with Java Web Start, first enable Java Web Start)

[OK] [Cancel] [Help]

TOP↑

Printing in color in the console(Props to Dean Kuhne, 2016)

Use ANSI constants and then print them just before your text, NOTE: set things back or it will stay in that particular color

```
public class YourClass {
    public static final String ANSI_ALL_RESET = "\u001B[0m";
    public static final String ANSI_FORE_BLACK = "\u001B[30m";
    public static final String ANSI_FORE_RED = "\u001B[31m";
    public static final String ANSI_FORE_GREEN = "\u001B[32m";
    public static final String ANSI_FORE_YELLOW = "\u001B[33m";
    public static final String ANSI_FORE_BLUE = "\u001B[34m";
    public static final String ANSI_FORE_PURPLE = "\u001B[35m";
    public static final String ANSI_FORE_CYAN = "\u001B[36m";
    public static final String ANSI_FORE_WHITE = "\u001B[37m";

    public static final String ANSI_BACK_BLACK = "\u001B[40m";
    public static final String ANSI_BACK_RED = "\u001B[41m";
    public static final String ANSI_BACK_GREEN = "\u001B[42m";
    public static final String ANSI_BACK_YELLOW = "\u001B[43m";
    public static final String ANSI_BACK_BLUE = "\u001B[44m";
    public static final String ANSI_BACK_PURPLE = "\u001B[45m";
    public static final String ANSI_BACK_CYAN = "\u001B[46m";
    public static final String ANSI_BACK_WHITE = "\u001B[47m";

    System.out.println("\t\t" + side + ANSI_BACK_GREEN + ANSI_FORE_WHITE + "    " +
one + " = Employee Example          " + ANSI_ALL_RESET + side);
        System.out.println("\t\t" + side + ANSI_BACK_BLUE + ANSI_FORE_CYAN + "    "
+ two + " = Car Example              " + ANSI_ALL_RESET + side);
        System.out.println("\t\t" + side + ANSI_BACK_WHITE + ANSI_FORE_RED + "    "
+ thr + " = Student Example          " + ANSI_ALL_RESET + side);
        System.out.println("\t\t" + side + ANSI_BACK_YELLOW + ANSI_FORE_PURPLE +
"    " + fou + " = Enhanced Employee Example  " + ANSI_ALL_RESET + side);
        System.out.println("\t\t" + side + ANSI_BACK_BLUE + ANSI_FORE_YELLOW + "
" + fiv + " = Enhanced Car Example      " + ANSI_ALL_RESET + side);
        System.out.println("\t\t" + side + ANSI_BACK_WHITE + ANSI_FORE_BLUE + "
" + six + " = Enhanced Student Example    " + ANSI_ALL_RESET + side);
        System.out.println("\t\t" + side + "    " + ANSI_FORE_RED + sev + " = Exit
" + ANSI_ALL_RESET + side);

//NOTE: I used a bunch of codes for Consolas to make a niftified menu, here are the ones
I use, but you can google Consolas Unicode or use this link for the table...
//Consolas Unicode http://www.fileformat.info/info/unicode/font/consolas/grid.htm

```

TOP ↑

```
//These only work on Consoles
static final char ur = '\u2557';
static final char ul = '\u2554';
static final char top = '\u2550';
static final char side = '\u2551';
static final char sideTL = '\u2560';
static final char sideRL = '\u2563';
static final char bl = '\u255A';
static final char br = '\u255D';
static final char one = '\u2776';
static final char two = '\u2777';
static final char thr = '\u2778';
static final char fou = '\u2779';
static final char fiv = '\u277A';
static final char six = '\u277B';
static final char sev = '\u277C';
static final char no = '\u0424';
```

```
//upper right
//upper left
```

```
//this is a t believe
```

```
//circle with a number inside it
```



```

System.out.println("      ;;;;[α] |]-");
System.out.println("      ;;;;[α] |)--");
System.out.println("      ;;;;| [α] |]---");
System.out.println("      ;;;;[ [α] |] |---|");
System.out.println("      ;;;;[ [α] |] |---|");
System.out.println("      ;;;;[ [α] | /---/");
System.out.println("      ;;;[ [α] /---/");
System.out.println("      ;;[ [α] /---/");
System.out.println("      ;[ [ /---/");
System.out.println("      [ [ /---/");
System.out.println("      [ /---/");
System.out.println("      /---/ |]");
System.out.println("      /---/ [α] |]");
System.out.println("      /---/ [α] |]");
System.out.println("      /---/ [α] |]");
System.out.println("      |---| [ [α] |] ;;;;");
System.out.println("      |---| [ [α] |] ;;;;");
System.out.println("      ---[ [α] |] ;;;;");
System.out.println("      --[ [α] ;;;;");
System.out.println("      -[ [α ;;;;");
System.out.println("      [ [ ;;;;");
System.out.println("      [ | ;;;;");
System.out.println("      [ ;;;;");
System.out.println("      [ ;;;;");
System.out.println("      ;;;; |]");
System.out.println("      ;;;; |]");
System.out.println("      ;;;;[α] |]-");
System.out.println("      ;;;;| [α] |]--|");
System.out.println("      ;;;;| [α] |]--|");
System.out.println("      ;;[ [α] |] /");
System.out.println("      ;[ [α] |] /");
System.out.println("      [ [α] |]");
System.out.println("      \\ \\ \\ α //");
System.out.println("      \\ \\ | /");
System.out.println("      v");
}

```

Section III: Swing Section

Determining which button was clicked(or menu item, combo box)

e.getSource()

```
public void actionPerformed(ActionEvent e) {
    if(e.getSource() == radiusBUT){
        //logic here for radius button
    }
    if(e.getSource() == sodaBUT){
        //logic here for soda button
    }
    if(e.getSource() == fileExitMI){
        System.exit(0); //exit the program
    }
}
```

TOP↑

Setting the background of your frame as an image (Props to Ryan Knapp 09)

getLayeredPane().add among other commands

```
//Add this to the constructor of your Frame or Dialog(same name as class)
//BEFORE initComponents
public JavaOutletFrame() {
    //Java Students – Start Copying Here
    try {
        //Load the background Image
        Image pict = ImageIO.read(new File("images/for-honor-viking.jpg"));
        ImageIcon backIm = new ImageIcon(pict);
        JLabel backLBL = new JLabel(backIm); //make a JLabel from background image
        //Set the bounds of the label to be the whole window
        backLBL.setBounds(0, 0, backIm.getIconWidth(), backIm.getIconHeight());
        getLayeredPane().add(backLBL, new Integer(Integer.MIN_VALUE));
        JPanel myPanel = new JPanel();
        myPanel.setOpaque(false);
        setContentPane(myPanel);
    } catch (IOException ex) {
        Logger.getLogger(EncounterDialog.class.getName()).log(Level.SEVERE, null, ex);
    }
    //Java Students – Stop Copying Here
    initComponents();
}
```

TOP↑

<p>Changing the icon of your swing app(Props to Chris Bouchard 06)</p>	<p>setIcon Image and get Default Toolkit This is what shows up in the task bar when you minimize your application(Win dows OS) Also icon for Mac OS</p>	<p>//YOU NEED TO FIND ICON IMAGE FILES OR MAKE YOUR OWN. //HERE IS A SITE WHERE I FOUND SOME FREE DOWNLOADABLE ICONS //NOTE:</p> <ol style="list-style-type: none"> 1. Make a new directory in the project folder called images //HERE's the folder for my BlackJackSwingSolution... <pre> /build /dist /images /nbproject /src /test build.xml manifest.mf </pre> <p>Copy image files to your images folder(make a careful note of name)</p> <pre> public class YourFrame extends JFrame implements.... //Declare this as a global variable //Icon for application Image appIcon; try { //Load the application icon Image appIcon = ImageIO.read(new File("images/eagles.png")); setIconImage(appIcon); } catch (IOException ex) { Logger.getLogger(BlackJackFrame.class.getName()).log(Level.SEVERE, null, ex); } } </pre>
<p>Making sure that only certain characters are entered into a textfield(props to Jon Diaz)</p> <p>TOP↑</p>	<p>Key Adapter</p>	<pre> public class YourFrame extends JFrame implements.... //assuming you have a textfields called monTF, etc JTextField monTF = new JTextField(); //Gen by NetBeans JTextField tuesTF = new JTextField(); JTextField wedTF = new JTextField(); JTextField thurTF = new JTextField(); JTextField friTF = new JTextField(); </pre> <p>//YOU ADD A GLOBAL DIGIT LISTENER SOMEWHERE</p>

TOP 

```
//OUTSIDE OF ANY METHOD
//Create a digitKeyListener
DigitKeyListener dg = new DigitKeyListener();

public YourFrame() { //This goes inside your constructor
    initComponents();
    monTF.addKeyListener(dg); //add digit key listeners to each
    tuesTF.addKeyListener(dg);
    wedTF.addKeyListener(dg);
    thurTF.addKeyListener(dg);
    friTF.addKeyListener(dg);
}
//Below the Frame class or in another file
import java.awt.event.*;

class DigitKeyListener
    extends KeyAdapter {

    //consumes all values except numbers period, delete and backspace
    public void keyTyped(KeyEvent f) {
        char ch = f.getKeyChar();
        //If it's not a period, backspace, digit or delete...
        if (!(
            (ch == KeyEvent.VK_PERIOD) ||
            (Character.isDigit(ch)) || (ch == KeyEvent.VK_BACK_SPACE) ||
            (ch == KeyEvent.VK_DELETE) ||
            (ch == KeyEvent.VK_MINUS) ))
        {
            f.consume(); //prevent from appearing in the textfield
        }
    }
}
}
```

Making a field uneditable or read-only

Set Editable


```
scoreFieldTF.setEditable(false);
```


Setting up Buttons with a round, calculator appearance (Props to Antoni Yang, Fall 2021)

Download JTattoo-1.6.13 (See the resources section of the website)

```
import javax.swing.UIManager;  
import javax.swing.UIManager.LookAndFeelInfo;  
import javax.swing.UnsupportedLookAndFeelException;  
import Calculator.PhoneCalculator;  
  
public class PhoneCalculatorApp {  
    public static void main(String[] args) throws ClassNotFoundException,  
InstantiationException, IllegalAccessException, UnsupportedLookAndFeelException {  
  
        UIManager.setLookAndFeel("com.jtattoo.plaf.aluminium.AluminiumLookAndFeel");  
        PhoneCalculator f = new PhoneCalculator();  
        f.setBounds(100, 100, 550, 900);  
        f.setVisible(true);  
    }  
}
```

This is Anthony's Calculator, works like a cell phone calculator



Change the foreground or background color of a button	setBack ground/setFore ground	b1.setBackground(Color.blue); //NOTE: b1 is an initialized Button reference b1.setForeground(Color.yellow); //NOTE: b1 is an initialized Button reference
Change the background of a Frame	getContentPane()setBackground	public class YourFrame extends javax.swing.JFrame { public HWFrame() { //add this stuff in red to your constructor initComponents(); getContentPane().setBackground(Color.green); // or getContentPane().setBackground(new Color(54,26,190); //red, green, blue from 0- //255 } }

<p>Popping up a message using a dialog box (Props to Craig Ceremuga for this info)</p>	<p>JOptionPane</p>	<pre>import javax.swing.*; JOptionPane.showMessageDialog(null, "There is not enough \$\$\$ for this purchase", "Change calculation error", JOptionPane.ERROR_MESSAGE); the general format is JOptionPane.showMessageDialog(null, "Main message in the pop-up", "Title bar of the window", type of dialog desired); //You can also use the following parameters to vary the style of the dialog box that you end up with... PLAIN_MESSAGE – plain dialog box without any icon in it INFORMATION_MESSAGE – icon denoting information QUESTION_MESSAGE – question mark WARNING_MESSAGE – warning icon</pre>
<p>Using combo boxes</p>	<p>get SelectedIndex(); getItemAt();</p>	<pre>public void actionPerformed(ActionEvent e) { //was this the combo box? if(e.getSource() == topicCB) { //Figure out which topic they selected int a = topicCB.getSelectedIndex(); String choice = (String)topicCB.getItemAt(a); } //now choice contains the phrase from the combo box }</pre>
<p>Getting data from a JTextField</p>	<p>getText()</p>	<pre>public class RegisterFrame extends JFrame implements ActionListener { JTextField searchTF = new JTextField(); private void plusBUTActionPerformed(java.awt.event.ActionEvent evt) { //GEN-FIRST:event_plusBUTActionPerformed String temp = searchTF.getText(); //temp now contains whatever was typed into //the text field }</pre>

TOP ↑

Pausing a program for a while(Props to Jameson Ma)	Thread .sleep	<pre> try { Thread.sleep(1000); //sleep for one second } catch(InterruptedException e) { Thread.currentThread().interrupt(); } } </pre>
Making a frame not resizeable	Set Resize able()	<pre> //This can be done using the properties on the frame public static void main(String[] args) { ComputerQuiz computerQuiz1 = new ComputerQuiz(); computerQuiz1.setSize(400,400); computerQuiz1.setResizable(false); //cannot resize this window computerQuiz1.setVisible(true); } </pre>
Getting in data from a pop up dialog box	show Input Dialog	<pre> import javax.swing.*; //to get a String String input; input = JOptionPane.showInputDialog("Please enter a word"); //to get an integer String input = JOptionPane.showInputDialog("Please enter an int); int x = Integer.parseInt(input); //to get a double String input = JOptionPane.showInputDialog("Please enter a double); double y = Double.parseDouble(input); </pre>
Setting the value of a JTextField with a String variable or double or int variable	get Text(), parse Double() and setText()	<pre> public class YourFrame extends JFrame private void plusBUTActionPerformed(java.awt.event.ActionEvent evt) { //GEN-FIRST:event_plusBUTActionPerformed //read the two textfields //parse out the doubles //do da math //put out the answer </pre>

TOP ↑

TOP↑

```
//Java Students – Start Copying Here  
String tempa = numATF.getText(); //tempa now contains whatever was typed into  
//the text field  
String tempb = numBTF.getText(); //tempb now contains whatever was typed  
//into the text field  
double a = Double.parseDouble(tempa); //a now contains whatever number was  
//typed into the field inputaTF  
double b = Double.parseDouble(tempb); //a now contains whatever number was  
//typed into the field inputbTF  
double sum = a + b;  
//Now to set the sumTF to the variable sum  
sumTF.setText(Double.toString(sum)); //force the number to be a String and pop it in  
the textfield  
//Java Students – Stop Copying Here  
//also sumTF.setText(sum+”"); //works here for the lazy coder  
}  
}
```

Using ImageIcon

new
Image
Icon
and
setIcon

```
public class TestFrame extends JFrame {  
    ImageIcon grainImage, foxImage, gooseImage, boatImage; //global vars  
  
    public TestFrame(){  
        //Inside Constructor, to load in the images from the /images folder  
        try {  
            backIm = new ImageIcon(ImageIO.read(new File("images/river_drawing.jpg")));  
            grainImage = new ImageIcon(ImageIO.read(new File("images/grain.gif")));  
            foxImage = new ImageIcon(ImageIO.read(new File("images/fox.gif")));  
            gooseImage = new ImageIcon(ImageIO.read(new File("images/goose.gif")));  
            boatImage = new ImageIcon(ImageIO.read(new File("images/boat.gif")));  
        } catch (IOException e) {  
            e.printStackTrace();  
        }  
    }  
  
    ..further down in the program  
    foxLBL.setIcon(foxImage); or foxLBL.setIcon(null); to clear icon
```

Using checkboxes	is Selected()	<pre> public class TestFrame extends JFrame implements ActionListener{ JCheckBox includeDepCBX = new JCheckBox(); public void actionPerformed(ActionEvent e) { if (includeDepCBX.isSelected() == true) { //stuff here is executed if the check box is selected } } </pre>
Putting multiple lines of text on a JButton (Props to Emily Zhou 2023)	Use custom code in NetBeans	<p>Under the properties of the button > text > 3 dot button on the right > change plain text on the top to custom code > in the parentheses, enter your text. It should be "<html>_____

_____</html>" where each
 is a line break, each _____ is a word/phrase.</p> <p>Ex: "<html>test
two
lines</html>"</p> <p>You may have to uncheck "focusPainted" if there is an ugly focus border.</p>

TOP ↑

Using radio buttons and button groups	is Selected() , setSe lected(), use NetBeans to add a radio button group	Make sure you use NetBeans to add a button group to your frame, I don't know if it will be listed in the treelist for the frame, but for buttons to act in an exclusive way, they should be part of a button group. Use the property inspector to associate the radio buttons with the group. //see above for isSelected() to test to see if a radio button is selected
Trimming data and checking for empty		<pre>public void actionPerformed(ActionEvent e) { String temp = bagsTF.getText(); if (temp.trim().equals("")) { JOptionPane.showMessageDialog(null, "Need Data", "Error", JOptionPane.ERROR_MESSAGE); } }</pre>
Set up a frame to use the enter key as well as click a button	Key Listener	<pre>public class JavaOutletFrame extends JFrame implements ActionListener, KeyListener { //Need the following three methods public void keyTyped(KeyEvent e) { if(e.getKeyCode()==KeyEvent.VK_ENTER) processInput(); //design another method you can call from actionPerformed } public void keyPressed(KeyEvent e) { //Some games use this when the key is pushed down so they can allow someone to hold the key down...ok to have this method empty } public void keyReleased(KeyEvent e) { } //method to do logic desired by both clicking a button AND pressing return private void processInput() { //Grab the bags String temp = bagsTF.getText(); if (temp.trim().equals("")) { JOptionPane.showMessageDialog(null, "Need Data", "Error", JOptionPane.ERROR_MESSAGE); more stuff } } }</pre>

TOP ↑


```
}  
  
public void actionPerformed(ActionEvent e) {  
    processInput(); //call the method so clicking does same thing as enter key  
}  
  
private void jbInit() throws Exception {  
    ....  
    //Add keylisteners  
    findBUT.addKeyListener(this); //add for everywhere that might have the focus  
    bagsTF.addKeyListener(this);  
}
```


Section IV: Painting

Drawing an arc in a graphics context

`g.fillArc()`
or
`g.drawArc`

```
import java.awt.*;  
public void paint(Graphics g)  
{
```



//This diagram will help you with the starting angle parameter

//g.fillArc(x,y,(this is the upper left point of the bounding rectangle, width, height (of bounding rectangle, startAngle, arcAngle (both integers, expressed in degrees))
//The start angle works like this; 0 represents 3 o'clock as shown on the graph above, 90 would be 12 o'clock as shown on the graph above, etc.

//The arcAngle is what determines what size arc you get. negative for clockwise, + for counter-clockwise. So if you go -270, you'll go cw $\frac{3}{4}$ of the way around



```
g.drawArc(50,50,100,100,0,-90);  
//gives you something like this  
}
```

Drawing text to a graphics window(Props to Sunil Ganesh)

`draw`
`String`

```
public void paint(Graphics g)  
{  
  g.drawString("Hello World",10,100); //10 is x and 100 is y  
  g.drawString(Message + " " + MessageNote,10,200); //Can use String variables also  
}
```

[TOP](#) ↑

Loading an image for use in an applet (Props to Steve Bozak) when painting

get
Image

//usually done as a global

Image i1 = getImage(getDocumentBase(), "../images/splash.gif"); //NOTE: this assumes that a directory one level up from the class file has been created called images and that the splash.gif file is stored in that directory

TOP 

Section V: Sound Files

**UPDATED
1/2/2017: I
dumped the
ClassLoader as I
had many
problems trying to
use this to make
jar files as Clean
and Build deleted
them in NetBeans**

Playing wav files
from within an
application or
applet

NOTE: wav, midi
and au files work
fine, mp3's do not
with this approach

```
import java.io.IOException;
import java.io.InputStream;
import java.util.logging.Level;
import java.util.logging.Logger;
import javax.sound.sampled.AudioSystem;
import javax.sound.sampled.Clip;
import javax.sound.sampled.LineUnavailableException;
import javax.sound.sampled.UnsupportedAudioFileException;
```

//NOTE:

2. Make a new directory in the classes folder called **sounds**

//HERE's the folder for my Budget Project...

/build

/classes

/sounds

/dist

/nbproject

/res

/src

/test

build.xml

manifest.mf

Copy .wav files to your classes/**sounds** folder(make a careful note of name)

TOP ↑

TOP↑

```
public class YourClass {
    //declaration above the methods...
    static Clip placeXSnd, placeOSnd ;    //Clips to be played, one for each sound effect

    //Add a Constructor for your class
    //Java Students – Start Copying Here
    //NOTE: Change the YourClass on the following line to whatever your class name is
    public YourClass(){
        //one time to load in from disk
        //These files are saved in the project name/build/classes/sounds folder
        InputStream instr =
    getClass().getClassLoader().getResourceAsStream("sounds/ding.wav");
        InputStream instr2 =
    getClass().getClassLoader().getResourceAsStream("sounds/KbdSpacebar.wav");
        try {
            placeXSnd = AudioSystem.getClip();
            placeXSnd.open(AudioSystem.getAudioInputStream(instr));
            placeOSnd = AudioSystem.getClip();
            placeOSnd.open(AudioSystem.getAudioInputStream(instr2));
        } catch (LineUnavailableException ex) {
            Logger.getLogger(TTTFrame.class.getName()).log(Level.SEVERE, null, ex);
        } catch (UnsupportedAudioFileException ex) {
            Logger.getLogger(TTTFrame.class.getName()).log(Level.SEVERE, null, ex);
        } catch (IOException ex) {
            Logger.getLogger(TTTFrame.class.getName()).log(Level.SEVERE, null, ex);
        } //NOTE:CHANGE THE TTTFrame to your class name on 3 lines ABOVE
    }
    //Java Students – Stop Copying Here
    public static void main(String[] args) {
        new YourClass(); //This needs to be whatever your class name is...
        playSound(); //calls the playSound method
    } //end main

    public static void playSound() {
        //to actually play the sounds, we need to set the frame position to the start
        errSnd.setFramePosition(0);
        errSnd.start();
    }
}
```



The End For Now!! Adios!!!